



Index

- [x], 529
- Δ , 572
- \setminus , 29
- \cap , 29
- \cup , 28
- ∞ , 3
- $[x]$, 529–539
- $\{x\}$, 529–539
- $\lfloor \cdot \rfloor$, 201
- \prod , 313–331
- \sum , 313–331
- $\{a_i\}$, sequence notation, 313
- $\{x\}$, fractional part, 529–539

- Abel Prize, 507
- Abel Summation, 368
- Abel, Niels, 229, 507
- absolute value, 517–529
- Abu Ja'far Muhammad ibn Musa al-Khwarizmi, 37
- algebraic number, 238
- AM, 384
- AM-GM Inequality, 384–391
- AMC, vii
- American Mathematics Competitions, *see* AMC
- American Regions Math League, *see* ARML
- Argand plane, 67
- Argand, Jean-Robert, 67
- argument, 417
- arithmetic mean, 384, 581–593
- Arithmetic Mean-Geometric Mean Inequality, 384–391
- arithmetic sequence, 286–292
- arithmetic series, 292–298
- arithmetico-geometric series, 567–571
- ARML, vii
- Art of Problem Solving, v, 672, 702
- asymptote, 147, 477
 - horizontal, 477
 - oblique, 484
 - slant, 484
 - vertical, 477
- average, 385
- axis of symmetry
 - of a parabola, 107, 109

- base, 413, 417
- base case, 350
- binomial, 162
- binomial coefficient, 359
- Binomial Theorem, 358–365
- brute force, 338–343
- Buniakowsky, 396

- camel, magic, 382, 443
- Cardano, Girolamo, 78, 229
- Catalan numbers, 337
- Cauchy Functional Equation, 627
- Cauchy, Augustin Louis, 389
- Cauchy-Schwarz Inequality, 340, 392–399

INDEX

- proof of, 394
- ceiling function, 529–539
- cellular automaton, xvii
- center
 - of a circle, 126
 - of a hyperbola, 142
 - of an ellipse, 129
- Chebyshev's Inequality, 412
- chord, 129
- circle, 126–129
 - center, 126
 - standard form, 127
- Clay Mathematics Institute, 507
- closed form, 295, 544
- codomain, 615
- coefficient, 162, 189
- common divisor, polynomial, 655
- common factor, polynomial, 658
- common logarithm, 445
- completing the square, 88–96
- complex number, 54–77
 - complex plane, 61–65, 70–74
 - graphing, 61–65, 70–74
 - history, 78
 - imaginary part, 54
 - magnitude, 63
 - real part, 54
- complex plane, 61–65, 70–74
- composition (of functions), 39–43
- conic section, 106–161
- conjugate, 58
- conjugate pair, 58
- consistent system, 16
- constant term, 79
- continuous, 202, 511
- contradiction, 231
- converge, 309
- convergent series, 309
- Cook, Matthew, xviii
- Cramer's Rule, 23
- cubic, 162
 - general solution of, 229
- cyclic function, 621–627
 - order, 623
- degenerate ellipse, 141
- degenerate hyperbola, 152
- degree, 162, 189, 261
- delta, 572
- dependent, 17, 19
- Descartes' Rule of Signs, 260
- Descartes, René, 54
- determinant, 22
- difference of cubes, 271
- difference of squares, 82, 271
- Diophantine equation, 263
- directrix, 107
- discontinuous, 511
- discriminant, 96–99, 102
- diverge, 308
- divergent series, 309
- division
 - of polynomials, 166–189
 - synthetic, 177–185
- divisor, 169
- domain, 24
- double root, 96, 200
- double sum, 325–331
- dummy variable, 24, 313
- e , 444–450
- eccentricity, 134, 149
- elimination, 9–13
- ellipse, 129–142
 - area of, 142
 - center, 129
 - chord, 129
 - degenerate, 141
 - eccentricity, 134
 - focus, 129
 - major axis, 129
 - minor axis, 129
 - standard form, 136
- equality condition, 379
- equation
 - linear, 1–23
 - quadratic, 79–105
- Euler, Leonhard, 54, 78, 445
- even function, 492–497
- exponent, 413
- exponent law, 424
- exponential decay, 415, 444–450

- exponential function, 413
- exponential growth, 414
- extraneous, 4, 457
- factor, 193, 225
- Factor Theorem, 193–198, 277–282
- factoring
 - $x^n + y^n$, 271
 - $x^n - y^n$, 270
 - grouping, 261–268
 - quadratics, 79–84
- factorization
 - over the complex numbers, 236
 - over the integers, 236
 - over the rationals, 236
 - over the reals, 236
- Ferrari, Ludovico, 229
- Fibonacci sequence, 544
- Fields Medal, 507
- finite difference, 571–576
- floor function, 529–539
- focus
 - of a hyperbola, 142
 - of a parabola, 107
 - of an ellipse, 129
- fractional part, 529–539
- function, 24–53
 - composition, 39–43
 - cyclic, 621–627
 - decreasing, 497–503
 - even, 492–497
 - graphing, 32–39
 - increasing, 497–503
 - inverse, 43–49
 - invertible, 46
 - monotonic, 497–503
 - odd, 492–497
 - piecewise defined, 508–516
 - rational, 476–491
 - real, 25
 - real-valued, 25
 - transformation, 36–39
- functional equation, 611–630
 - cyclic function, 621–627
 - separation, 619–621
 - substitution, 615–619
- Fundamental Theorem of Algebra, 196, 215–225
- Gauss, Carl, 268, 293
- generation, xvii
- geometric mean, 384, 581–593
- geometric progression, 298
- geometric sequence, 298–301
- geometric series, 302–312
- GM, 384
- graph of a function, 32–39
- greatest integer function, 529
- grouping, 261–268
- Hölder Inequality, 399
- half-life, 445
- Hamilton, Lord William Rowan, 78
- harmonic mean, 581–593
- harmonic progression, 335
- harmonic sequence, 335
- harmonic series, 335
- Harvard-MIT Math Tournament, *see* HMMT
- Hermite's Identity, 543
- Hippasus, 230
- HM, 581–593
- HMMT, vii
- hole, 480, 512
- homogeneous equation, 641
- homogenization, 641
- horizontal asymptote, 477
- horizontal line test, 47
- hyperbola, 142–156
 - center, 142
 - eccentricity, 149
 - focus, 142
 - rectangular, 153
 - standard form, 145, 150
 - vertex, 142
- i , 54
- identity, 338–370
- Identity Theorem, 219–225
- if and only if, 67
- Im, 61
- imaginary axis, 61
- imaginary number, 54
- imaginary part, 54
- inconsistent system, 16

INDEX

- independent, 17, 19
- indeterminate series, 308
- index, 313
- indirect proof, 232, 256
- induction, 348–358
- inductive assumption, 351
- inductive hypothesis, 351
- inductive step, 351
- inequality, 371–412
 - AM-GM, 384–391
 - Arithmetic Mean-Geometric Mean, 384–391
 - Cauchy-Schwarz, 392–399
 - Hölder Inequality, 399
 - Mean Inequality Chain, 581–593
 - nonstrict, 3
 - polynomial, 205, 211
 - quadratic, 99–102
 - Rearrangement Inequality, 593–600
 - strict, 3
 - Trivial Inequality, 378–384
- inequality chain, 3
- infinite geometric series, 302, 305
- intersection, 29
- interval, 3
- inverse function, 43–49
- irrational number, 206, 231
- isolation, 1–6

- Lagrange's Identity, 340
- latus rectum, 118
- leading term, 165
- least integer function, 529
- Legendre, Adrien-Marie, 226
- Lie, Sophus, 507
- limit, 307
- linear, 162
- linear algebra, 17
- linear combination, 17
- linear term, 79
- links, vi
- \ln , 445
- locus, 106
- logarithm, 413–455
 - argument, 417
 - base, 417
 - common, 445
 - identity, 424–440
 - natural, 444–450
- magic camel, 382, 443
- magnitude, 63
- major axis, 129
- Mandelbrot Competition, vii
- matrix, 22
- maximization, 400–406
 - quadratic, 121–126
- mean
 - arithmetic, 384
 - geometric, 384
 - harmonic, 581
 - quadratic, 581
- Mean Inequality Chain, 581–593
- Method of Undetermined Coefficients, 644–648
- Millennium Problems, 507
- minimization, 400–406
 - quadratic, 121–126
- Minkowski's Inequality, 412
- minor axis, 129
- monic polynomial, 165
- monomial, 162
- monotonic, 497–503
- monotonically increasing, 413
- multiple root, 200
- multiplicity, 196, 200
- multivariable polynomial, 261–285

- natural logarithm, 444–450
- Nesbitt's Inequality, 610
- nested sum, 325–331
- New York State Math League, vii
- Nobel Prize, 507
- nonreal, 54
- nonstrict inequality, 3
- nonzero polynomial, 162
- number
 - algebraic, 238
 - complex, 54
 - irrational, 231
 - nonreal, 54
 - rational, 230
 - transcendental, 238
- NYSML, vii

- oblique asymptote, 484
- odd function, 492–497
- optimization, 400–406
- order (of a cyclic function), 623
- ordered pair, 7
- origin, 61
- parabola, 107–126
 - axis of symmetry, 107
 - directrix, 107
 - focus, 107
 - latus rectum, 118
 - standard form, 113
 - vertex, 107
- partial fraction decomposition, 556
- partial sum, 307
- Pascal's Identity, 360
- period, 548
- periodic sequence, 547
- permutation, 652
- \prod , 313–331
- piecewise defined function, 508–516
- polynomial, 162–191, 631–665
 - common divisor, 655
 - common factors, 658
 - division, 166–189
 - finite difference, 572
 - graphing, 215–219
 - Identity Theorem, 219–225
 - inequality, 205, 211
 - integer root, 198–206
 - monic, 165
 - multivariable, 261–285
 - product of roots, 244–253
 - rational root, 206–212
 - Remainder Theorem, 185–189
 - roots and coefficients, 244–253
 - roots of, 193–260
 - sum of roots, 244–253
 - synthetic division, 177–185
 - Vieta, 244–253
- polynomial function, 162
- Power Mean Inequality, 591
- problem solving, iii
- product
 - nested, 325–331
 - proof by contradiction, 231
 - proof by induction, 348–358
 - Pythagoras, 230
- Q , 230
- QM, 581–593
- QM-AM, 584
- QM-AM-GM-HM Inequality, 585
- quadratic, 79–105, 162
 - completing the square, 88–96
 - discriminant, 96–99
 - factoring, 79–84
 - inequality, 99–102
 - maximization, 121–126
 - minimization, 121–126
 - sum and product of roots, 84–88
- quadratic formula, 93
- quadratic mean, 581–593
- Quadratic Mean-Arithmetic Mean Inequality, 584
- quadratic term, 79
- quartic, 162
 - general solution of, 229
- quotient, 169
- \mathbb{R} , 3
- radical conjugate, 233, 470–473
- radioactive decay, 445
- radius, 126
- range, 25
- ratio, 343–348
- rational function, 476–491
- rational number, 206, 230
- Rational Root Theorem, 206–212
- rationalize the denominator, 470
- Re, 61
- real axis, 61
- real function, 25
- real number, 54
- real part, 54
- Rearrangement Inequality, 593–600, 607
- rectangular hyperbola, 153
- recurrence relation, 544
- recursion, 544–551
- recursive formula, 544
- redundant, 17, 19
- remainder, 169

INDEX

- Remainder Theorem, 185–189
- resources, v
- RMS, 581
- root, 79, 193
- root mean square, 581
- Rubinstein-Salzedo, Simon, 264
- Ruffini's rule, 177
- Ruffini, Paolo, 177, 229
- Rule 110, xvii

- Schur's Inequality, 412
- Schwarz, 392
- sequence, 286
 - arithmetic, 286–292
 - geometric, 298–301
 - harmonic, 335
 - notation, 313
 - periodic, 547
- series, 286
 - arithmetic, 292–298
 - arithmetico-geometric, 567–571
 - convergent, 309
 - divergent, 309
 - geometric, 302–312
 - harmonic, 335
 - polynomial, 561–566
 - telescoping, 552–560
- Serre, Jean-Pierre, 507
- shift the index
 - recursion, 550
 - summation, 321
- Σ , 313–331
- sigma, 313
- Simon's Favorite Factoring Trick, 263
- slant asymptote, 484
- Sophie Germain's Identity, 268
- square root, 548
- squaring the circle, 238
- standard form
 - of a circle, 127
 - of a hyperbola, 145, 150
 - of a parabola, 113, 114
 - of an ellipse, 136
- strict inequality, 3
- substitution, 6–9, 638–644
 - functional equation, 615–619
 - sum of cubes, 272
- summation
 - double, 325–331
 - nested, 325–331
 - Σ , 313–331
- summation notation, 313
- symmetric, 87, 280
- symmetric expression, 250
- symmetric sum, 246, 658–665
- symmetry, 631–637
- synthetic division, 177–185
- system of equations, 6–19
 - consistent, 16
 - dependent, 17
 - inconsistent, 16
 - independent, 17
 - linear, 10
 - nonlinear, 12

- tangent, 121
- Tartaglia, Nicolo Fontana, 229
- telescoping series, 552–560
- term, 162, 189
- transcendental number, 238
- translation, 112
- trinomial, 162
- Trivial Inequality, 378–384
- Turing complete, xviii

- undetermined coefficient, 644–648
- union, 29
- upper bound (of roots), 214
- USA Mathematical Talent Search, *see* USAMTS
- USAMTS, vii

- variable
 - dummy, 24
- vertex
 - of a hyperbola, 142
 - of a parabola, 107
- vertical asymptote, 477
- vertical line test, 36
- Vieta's Formulas, 84–88, 244–253
- von Lindemann, Ferdinand, 238

- Weierstrass, Karl, 526
- without loss of generality, 598

WLOG, 598
Wolfram, Stephen, xviii
 x -intercept, 32
 y -intercept, 32
 \mathbb{Z} , 230
 \bar{z} , 58
zero (of a polynomial), 193
zero (of a quadratic), 79
zero polynomial, 162